



288757, FAX - 288063

Santal Bidroha Sardha Satabarshiki Mahavidyalaya

ESTD - 2005

Affiliated to Vidyasagar University & Recognized by UGC (under 2(f) & 12B)

Goaltore :: Paschim Medinipur :: 721128 :: Web - sbssmahavidyalaya.org :: email - sbssm_goaltore@rediffmail.com

Ref : SBSSM/NIT/05/16

Date: 06/08/2016

Quotation Notice

Sealed quotations are invited from reputed supplier /agency for following items (Rate to be quoted as per mentioned unit):

1. Iron frame bench :

- a. Attached: (Upper- Length-6ft.; Width- 1ft 2 inch; Height-2ft 6 inch) by Angle 25x25x5 mm **per quintal**.
: (Lower- Length-6 ft; Width-1 ft; Height-1 ft 6 inch.) by Angle 25x25x5 mm **per quintal**.
- b. Single : (Upper- Length-8 ft; Hight-2 ft 6 inch; Width-2 ft;) by Angle 25x25x5 mm **per quintal**.

2. Painting:

A. Outer side of Wall :

- a. Water proof cement paint (Snowcem) **per bag (25kg)**.
- b. Exterior Primer : Per 20 lit./ 10 lit./ 4 lit. / 1 lit. (Dulux/ Asian Paint)
- c. Paint : Per 20 lit./ 10 lit./ 4 lit. / 1 lit. (Dulux – Weather Shield Powerflex / Asian Paint - Apex Ultima)

B. Inner side of Wall :

- a. Interior Primer : Per 20 lit./ 10 lit./ 4 lit. / 1 lit. (Dulux/ Asian Paint)
- b. Paint : Per 20 lit./ 10 lit./ 4 lit. / 1 lit. (Dulux – Weather Shield / Asian Paint - Royale)

C. Wooden Door & Windows :

- a. Primer : Per 20 lit./ 10 lit./ 4 lit. / 1 lit. (Dulux/ Asian Paint)
- b. Oil bound Paint : Per 20 lit./ 10 lit./ 4 lit. / 1 lit. (Dulux – Super Gloss / Asian Paint – Super Gloss equivalent)

D. Iron or other metallic surface :

- a. Primer : Per 20 lit./ 10 lit./ 4 lit. / 1 lit. (Dulux/ Asian Paint)
- b. Oil bound Paint : Per 20 lit./ 10 lit./ 4 lit. / 1 lit. (Dulux – Super Gloss / Asian Paint – Super Gloss equivalent)

3. Waterproof ply (ISO-9001 Quality): Thickness 18 mm/ 6mm; Size- (8ft x 4 ft) @ per pc.

4. Sun mica @ per sqft.

5. Fevicol @ per kg.

6. Fitting Charge per bench. (fix the ply & sun mica to the iron frame bench).

7. Supplying fitting and fixing 600 mm (+/- 30 mm) diameter R.B.T (Reinforced Barbed Tape) Concertina fencing on wall top using concertina coils stretched to approx.6 meters length at site clipped with two nos. of horizontal R.B.T strands which will be tensioned and fixed with the vertical M.S angle iron posts by means of security fasteners (such as 'C' clips, R.B.T clips etc.) : **Per Mtr.**

8. Supplying, fitting and fixing Marble Slab/tile of 15 to 18 mm thickness in floor, lobby, stair, landing & treads etc. over 20 mm (av.) thick base of Cement mortar (1:2) laid with white cement slurry @ 4.4 kg/Sq. m before placing marble & jointed with white cement slurry @ 2.0 kg/Sq. m with necessary pigments including grinding and Granite polishing as per direction of Engineering -in -Charge



288757, FAX - 288063

Santal Bidroha Sardha Satabarshiki Mahavidyalaya

ESTD - 2005

Affiliated to Vidyasagar University & Recognized by UGC (under 2(f) & 12B)

Goaltore :: Paschim Medinipur :: 721128 :: Web - sbssmahavidyalaya.org :: email - sbssm_goaltore@rediffmail.com

Ref : SBSSM/NIT/05/16

Date: 06/08/2016

in Ground Floor. {White cement and Pigment to be supplied by the Agency} (a) With Makrana plain pink / Adranga Pink / Garbh Gulabi / Udaypur pink / Udaypur Green / Black Bhaslana (i) Area of each Slab/tile up to 0.3 sq.m. : **per Sqm.**

9. Supplying, fitting & fixing 1st quality Ceramic tiles in walls and floors to match with the existing work & 4 nos. of key stones (10mm) fixed with araldite at the back of each tile & finishing the joints with white cement mixed with colouring oxide if required to match the colour of tiles including roughening of concrete surface, if necessary or by synthetic adhesive & grout materials etc.
10. **Wall :-** With Sand Cement Mortar (1:3) 15 mm thick & 2 mm thick cement slurry at back side of tiles using cement @ 2.91 Kg/Sq.m & joint filling using white cement slurry @ 0.20kg/Sq.m. (a) Area of each tile up to 0.09 Sq.m **per Sqm.**
11. Supplying, fitting and fixing in position fiber glass panes of approved quality with resin, nail, clip etc. as per IS:12866-1989. (In all floors for internal wall & upto 6 m height for external wall) (e) **4.0 mm thick (6.72 Kg/Sq.m) with appropriate Aluminium channel : Per Sqm.**
12. Supplying fitting and fixing in position approved P.V.C. door frame (Matt finish) made of extruded P.V.C. multichamber hollow section having dimensions 60mm x 50mm x 2mm (+/-0.2mm), horizontal section will be joined with vertical section by galvanized steel screws after inserting two number steel brackets as reinforcement making suitable space for placing hinges, one steel tube 40mm x 20mm x 1.20 mm will be inserted on one full vertical side of the frame (hinge side) as reinforcement, the frame will then be fixed in the opening with the help of P.V.C. expandable fastener/wooden gummies and galvanised steel screws including cost of all materials and labour, hire charges of tools and appliances, carriage of all materials, taxes and all other incidental charges complete. : **Per Mtr.**
13. PVC Door Shutter-30 mm thick: Supplying fitting and fixing P.V.C. door shutter of approved quality & shade in position, the style & rail of the P.V.C. door shutter will be made of rigid P.V.C. multicavity hollow chamber of 59 mm x30 mm section with 2.0 mm (+/-0.2 mm) wall thickness. Horizontal & vertical section shall be fixed to each other by self tapping screws and 1 solid polymeric or M.S. galvanized tubular 'L' shaped bracket 100mm x 200mm in each corner of the shutter frame for placing hinges. Polymer based multicavity hollow section of 120 mm x30mm with 2.0 mm (+/- 0.2 mm) wall thickness will be fitted in the middle, reinforced by solid polymer bar of 200 mm long at both ends and screws from both sides as lock rail. The section frame will then be fitted in by PVC panels of size 100 mmx25 mm with wall thickness of 1.2 mm (+/- 0.2 mm) and 2 nos. of 6 mm dia bright rod will be inserted horizontally with both side check and nut system and stretches where fixing of hinges / hasp bolt / tower bolt / door ring are required to be strong enough to with stand wear and tear. The rate is inclusive of cost of all materials, labour, and hire of tools and plants. **Per Sqm.**
14. Supplying, fitting and fixing peets valve fully way gun metal standard pattern best quality approved brand bearing ISI make with fittings (tested to 21 kg per sqm) 25 mm 8 **Per Each**
15. Supplying, fitting and fixing bib cock or stop cock. Chromium plated Stop Cock (Equivalent to Code No. 513(A) & 513(B) & Model - Tropical / Sumthing Special of ESSCO or similar brand). **Per Each.**
16. Supplying, fitting and fixing bib cock or stop cock. Chromium plated Bib Cock short body (Equivalent to Code No. 511 & Model - Tropical / Sumthing Special of ESSCO or similar brand). **Per Each.**
17. Supplying, fitting and fixing Anglo-Indian W.C. in white glazed vitreous china ware of approved make complete in position with necessary bolts, nuts etc. With 'P' trap (with vent) **Per Each.**
18. Supplying, fitting and fixing E.W.C. in white glazed vitreous chinaware of approved make complete in position with necessary bolts, nuts etc. (a) With 'P' trap **Per Each.**
19. Supplying, fitting and fixing Flat back urinal (half stall urinal) in white vitreous chinaware of approved make in position with brass screws on 75 mm X 75 mm X 75 mm wooden blocks complete.465 mm X 355 mm X 265 mm **Per Each.**
20. Wash basin vitreous china of approved make (without fittings) supplied, fitted and fixed in position on 75mm X 75 mm X 75 mm wood blocks and C.I. brackets including two coats of painting of C.I. brackets. 450 mm X 300 mm size. **Per Each.**
21. Supplying, fitting and fixing 10 litre P.V.C. low-down cistern conforming to I.S. specification with P.V.C. fittings complete,C.I. brackets including two coats of painting to bracket etc. **Per Each.**



288757, FAX - 288063

Santal Bidroha Sardha Satabarshiki Mahavidyalaya

ESTD - 2005

Affiliated to Vidyasagar University & Recognized by UGC (under 2(f) & 12B)

Goaltore :: Paschim Medinipur :: 721128 :: Web - sbssmahavidyalaya.org :: email - sbssm_goaltore@rediffmail.com

Ref : SBSSM/NIT/05/16

Date: 06/08/2016

22. Supplying, fitting and fixing beveled edged mirror 5.5 mm thick silver red as per I.S. 3438 / 1965 together with brass C.P. hinges. Size 450 mm X 300 mm : **Per Each.**
23. Supplying, fitting and fixing approved brand P.V.C. CONNECTOR white flexible, with both ends coupling with heavy brass C.P. nut, 15 mm dia. 300 mm long **Per Each.**
24. Supplying, fitting and fixing approved brand 32 mm dia. P.V.C. waste pipe, with PVC coupling at one end fitted with necessary clamps. 600 mm long **Per Each.**
25. Supplying, fitting and fixing Squatting plate with integral flushing in white vitreous chinaware of approved make in cement concrete (6:3:1) with jhama chips complete. 450 mm X 350 mm **Per Each.**
26. Supplying, fitting and fixing PVC pipes of approved makeof (medium duty) conforming to ASTM D - 1785 and threaded to match with GI Pipes as per IS : 1239 (Part - I). with all necessary accessories, specials viz. socket, bend, tee, union, cross, elbow, nipple, long screw, reducing socket, reducing tee, short piece etc. fitted with holder bats clamps, including cutting pipes, making threads, fitting, fixing etc. complete in all respect including cost of all necessary fittings as required, jointing materials and two coats of painting with approved paint in any position above ground. (Payment will be made on the centre line measurements of total pipe line including all specials. No separate payment will be made for accessories, specials. Payment for painting will be made separately) a) 15 mm dia medium quality: c) 25 mm dia medium quality: **Per Mtr.**
27. Supplying P.V.C. water storage tank of approved quality with closed top with lid (Black) – Multilayer. (a) 500 Liter. **Per Each.**
28. Colour Television (20 inch-LG/Samsung/Philips) **per pc.**
29. **Identity card** of college students. (Laminated Pan Card size + Holder) @ per pc.
30. Printing / binding of Magazines (No. of books: 2500, size of pages: 9 "x 6", no. of pages: 200, hard cover binding & paperback.
31. Revolving tool with mini back cover for computer work @ per pc.
32. 100 watt LED light @ per pc.
33. Refrigerator 160 lit. (LG/ Godrej/ Whirlpool/Kelvinator)
34. Water Cooler System 150 lit capacity (Blue Star/ Aqua/ Kelvinator/ Voltas).
35. Computer : per set

Specifications:

1. Gigabyte Motherboard
2. Intel Celeron D Processor
3. 2GB RAM (Starlite)
4. 250 GB HDD (WD)
5. ATX Cabinet (iBall)
6. 5.6" LED monitor (Philips/Acer)
7. Keyboard and mouse (Microsoft/iBall)
8. UPS (Zebronics/Intex)
2. Tube Light set (Philips) – Per set.
3. Tender for Canteen – Interested persons are requested to submit the application with full bio-data & experience, if any. College will provide Room, Electricity, Water (against negotiable charge).
4. Intercom set.
5. C. C. TV.
6. Laptop-HP Core-i3 (15-ac122TU)
7. Printer – Canon LBP2900.



288757, FAX - 288063

Santal Bidroha Sardha Satabarshiki Mahavidyalaya

ESTD - 2005

Affiliated to Vidyasagar University & Recognized by UGC (under 2(f) & 12B)

Goaltore :: Paschim Medinipur :: 721128 :: Web - sbssmahavidyalaya.org :: email - sbssm_goaltore@rediffmail.com

Ref : SBSSM/NIT/05/16

Date: 06/08/2016

8. Cartridge- 12A, 88A, 78A. (Aryan/Compatible).

9. Toner- NPG-59, NPG-28. (Canon original)

10.

CHEMICALS (Merck or Equivalent or any standard company)

Sl. No	ITEM
1.	Benedict (qualitative)
2.	Buins fluid
3.	Clove oil
4.	Potassium hydroxide
5..	Alkaline Iodide(KI)
6	Fructose
7.	Galactose
8	Lactose
9	Maltose

Requirements of Glass goods, Laboratory items & Instruments:

Sl. No	ITEM
1.	Alpin
2.	Blotting Paper
3	Droper
4	Large forceps
5	Compound Microscope
6	Spirit lamp
7	Syringe
8	Camera lucida
9	Specimen container (Glass jar)
a.	H * D (30cm *15cm)-10pcs
b.	H * D (20cm *10cm)-15pcs
c.	H * D (20cm *7.5cm)-10pcs

Sl. No	ITEM
.	



288757, FAX - 288063

Santal Bidroha Sardha Satabarshiki Mahavidyalaya

ESTD - 2005

Affiliated to Vidyasagar University & Recognized by UGC (under 2(f) & 12B)

Goaltore :: Paschim Medinipur :: 721128 :: Web - sbssmahavidyalaya.org :: email - sbssm_goaltore@rediffmail.com

Ref : SBSSM/NIT/05/16

Date: 06/08/2016

10	Dissection chart i. EARTHWORM ---nervous system and reproductive system , Nerve ring, septal nephridia , digestive system ii. COCKROACH — nervous system and reproductive system(male and female), salivary apparatus , digestive system iii. ROHU --- afferent and efferent branchial arteries, 9 th & 10 th cranial nerves , brain and pituitary iv. APPLE SNAIL—nervous system and digestive system)
11	Centrifuge
12	Electrical Balance
13	Hot air oven
14	Distilled water plant
15	Dissection tray

REQUIREMENTS OF SPECIMEN:

Sl. No	NAME OF THE SPECIMEN
1.	<i>Tanymericus indicus</i>
2.	<i>Elphidium sp.</i>
3.	<i>Physalia sp.</i>
4.	<i>Chaetopterus sp.</i>
5.	<i>Hippa sp.</i>
6.	<i>Eupagurus sp.</i>
7.	<i>Mugilparsi</i>
8.	<i>Peripatus</i>
9.	<i>Belostoma sp.</i>
10.	<i>Chiton sp.</i>
11.	<i>Aplysia sp.</i>
12.	<i>Astropecten sp.</i>
13.	<i>Hirudinaria sp.</i>
14.	<i>Myxine sp.</i>
15.	<i>Hippocampus sp.</i>
16.	<i>Echinus sp.</i>
17.	<i>Ichthyophis sp.</i>
18.	<i>Axolotl larva</i>
19.	<i>Cryptobranchus sp.</i>
20.	<i>Hyla sp.</i>
21.	<i>Vipera sp.</i>
22.	<i>Hydrophis sp.</i>
23.	<i>Pycnonotus sp.</i>
24.	<i>Halcyon sp.</i>
25.	<i>Dinopium sp.</i>



288757, FAX - 288063

Santal Bidroha Sardha Satabarshiki Mahavidyalaya

ESTD - 2005

Affiliated to Vidyasagar University & Recognized by UGC (under 2(f) & 12B)

Goaltore :: Paschim Medinipur :: 721128 :: Web - sbssmahavidyalaya.org :: email - sbssm_goaltore@rediffmail.com

Ref : SBSSM/NIT/05/16

Date: 06/08/2016

26.	<i>Hispa sp.</i>
27.	<i>Leucinodes sp.</i>

REQUIREMENTS OF SLIDE SPECIMEN:

Sl. No	ITEM
1	LYMPH GLAND
2	BURSA OF FABRICIOUS
3	CHICK EMBRYO 72 hrs.
4	BLASTULA OF FROG
5	ADRENAL GLAND
6	<i>Paramoecium sp.</i>
7	<i>Giardia sp.</i>

Labour rate to be quoted as per item wise separately.

The quotations

Terms and Conditions:

- Tender / Quotation should reach the office within 22/8/2016 positively up to 2 p.m.
- Materials shall be supplied as per instruction of college authority.
- S.B.S.S. Mahavidyalaya authority reserves the right to reject any / all quotation without assigning any reasons.
- Valid I.T., P.T. & VAT clearance certificate must be produced at the time of application.
- Financial capability certificate / credential certificate must be produced at the time of application.
- Payment should be made by availability of fund.

S/d Dr. Debnarayan Roy
Principal